



King's Research Portal

DOI:

[10.3390/inorganics5030043](https://doi.org/10.3390/inorganics5030043)

Document Version

Publisher's PDF, also known as Version of record

[Link to publication record in King's Research Portal](#)

Citation for published version (APA):

Baletto, F. C. M., & Paz Borbon, L. O. (2017). A DFT Study on the O₂ Adsorption Properties of Supported PtNi Clusters. *Inorganics*, 5. <https://doi.org/10.3390/inorganics5030043>

Citing this paper

Please note that where the full-text provided on King's Research Portal is the Author Accepted Manuscript or Post-Print version this may differ from the final Published version. If citing, it is advised that you check and use the publisher's definitive version for pagination, volume/issue, and date of publication details. And where the final published version is provided on the Research Portal, if citing you are again advised to check the publisher's website for any subsequent corrections.

General rights

Copyright and moral rights for the publications made accessible in the Research Portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognize and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the Research Portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the Research Portal

Take down policy

If you believe that this document breaches copyright please contact librarypure@kcl.ac.uk providing details, and we will remove access to the work immediately and investigate your claim.

Article

A DFT Study on the O₂ Adsorption Properties of Supported PtNi Clusters

Lauro Oliver Paz-Borbón ^{1,2,*} and Francesca Baletto ¹¹ Department of Physics, King's College London, WC2R2LS London, UK; francesca.baletto@kcl.ac.uk² Instituto de Física, Universidad Nacional Autónoma de México, Apartado Postal 20-364, México DF 01000, México

* Correspondence: oliver_paz@fisica.unam.mx

Academic Editor: Stefan T. Bromley

Received: 17 May 2017; Accepted: 26 June 2017; Published: 4 July 2017

Abstract: We present a systematic study on the adsorption properties of molecular oxygen on Pt, Ni and PtNi clusters previously deposited on MgO(100) by means of density functional theory calculations. We map the different adsorption sites for a variety of cluster geometries, including icosahedra, decahedra, truncated octahedra and cuboctahedra, in the size range between 25–58 atoms. The average adsorption energy depends on the chemical composition, varying from 2 eV for pure Ni, 1.07 for pure Pt and 1.09 for a Pt_{shell}Ni_{core} nanoalloy. To correlate the adsorption map to the adsorption properties, we opt for a geometrical descriptor based on the metallic coordination up to the second coordination shell. We find an almost linear relationship between the second coordination shell and adsorption energy, with low coordination sites, such as those located at the (111)/(111) and (111)/(100) cluster edges-displaying adsorption energies above 1 eV, while higher coordination sites such as (111) cluster facets have an interaction of 0.4 eV or lower. The inclusion of van der Waals corrections leads to an overall increase of the O₂ adsorption energy without an alteration of the general adsorption trends.

Keywords: DFT calculations; supported PtNi clusters; MgO oxide support; O₂ adsorption; generalized coordination number (GCN)

1. Introduction

The development of novel mobility technologies for cleaner vehicle emissions is nowadays essential in order to mitigate the current high levels of pollution seen on internal combustion engines. One foreseeable technology involves the electrochemical conversion of energy via efficient fuel cells (FCs), namely using hydrogen as its primary source of fuel [1]. All FCs consist of an anode, cathode, as well as of a proton-conductive electrolyte. FCs are generally classified according to the type of electrolyte used, and excellent technology reviews exist on the literature, ranging from proton-conducting metal–organic frameworks [2], crystalline porous-materials [3], as well as carbon- and nitrogen-based porous solids [4]. Among all of the existing fuel cells, the proton exchange membrane fuel cell (PEMFC) has been actively developed for use in vehicles [5,6]. PEMFCs currently provide the necessary power needed to travel even long-distances. However, its mass commercialization is currently hindered both by the slow oxygen reduction reaction (ORR) at the cathode and the extremely high cost of platinum (Pt). This has triggered an active search for cheaper Pt-based alloys and the miniaturization of the metal catalyst towards the nanoscale. One proposed solution is to combine it with other late transition metals such as nickel (Ni), cobalt (Co), chromium (Cr), copper (Cu) and iron (Fe) [7–9]. The goal of the alloyed material is to improve the catalytic activity towards the oxygen reduction reaction (ORRs), offered by current commercial Pt cathode catalysts, without the scaling costs.

In this regard, recent experimental studies have shown that a five-fold decrease in the amount of Pt used in PEMFC stacks is needed in order to reach levels for mass-production and commercialisation for use in light-duty vehicles [10]. A promising alloy corresponds to PtNi. Work performed by Stamenkovic et al. showed an exceptional catalytic activity (10-fold) towards ORR of an extended Pt₃Ni(111) surface compared to a monometallic Pt(111) surface; and up to 90 times greater than the carbon supported Pt catalysts used in PEMFC [11]. Their results were rationalized due to an unusual shift in the calculated PtNi *d*-band centre, as well as due to having a peculiar atomic segregation pattern involving a Pt-rich outer layer. Further experimental work has focused on the preparation of small PtNi nanoparticles (NPs) ≤ 5 nm, with varying Pt-loading. These NPs have well-controlled octahedral geometries (FCC-type atomic arrangements) displaying extensive (111) facets, aiming for similar catalytic properties as the extended surface [12–21]. Thus, the maximisation of large surface areas offered by bimetallic NPs makes them ideal as catalysts for novel fuel cell applications.

Previous computational results based on Monte Carlo (MC) simulations have addressed the structural stability of cuboctahedral PtNi NPs, ranging from 2.5 to 5 nm [22]. Using a many-body potential to describe the interactions between metal atoms, MC simulations at 600 K showed that PtNi tends to form surface-sandwich structures, with a segregation pattern in which Pt atoms are enriched at the outermost and third shells, while the Ni atoms are enriched in the second shell. These results suggest an economical catalyst design, where Pt atoms are located at the outermost layers with Ni occupying core positions within the bimetallic NP. Similar segregation patterns were reported for smaller-gas-phase-PtNi clusters of less than 20 atoms, using a combined genetic algorithm global optimization approach and density functional theory (DFT) calculations [23]. In terms of cluster reactivity, recent work has shown that sub-nanometre gas-phase PtNi clusters (up to 55 atoms in size) can bind O₂ above 1 eV, due to a substantial geometrical reconstruction of the metal-metal bridge underneath the adsorbed molecule [24]. More recent DFT calculations reported fully-dealloyed Pt₃Ni₇ particle (~ 8 nm) surfaces exhibiting triangulated surface arrangements, as a regular Pt(111) surface, while reducing the rate-determining ORR step significantly [25].

In this work, we performed a systematic density functional theory (DFT) study on O₂ adsorption on a variety of PtNi clusters supported on MgO(100), as well as on their monometallic (Pt, Ni) counterparts, ranging between 25–58 atoms. Using the calculated adsorption energies (E_{ads}), we construct an O₂ adsorption map for supported PtNi, Pt and Ni clusters presenting a variety of cluster geometries, ranging from truncated octahedra (TO), cuboctahedra (CO), icosahedra (Ih) and decahedra (Dh). Clusters are either in contact with their (100) and (111) facets to the oxide substrate. For supported PtNi clusters, we try to preserve a Pt₃Ni bulk-like composition, implying that Ni doping occurs at the bimetallic cluster core sites (i.e., core-shell clusters). However, due to cluster sizes and geometries, Ni atoms are in some cases located inevitably at cluster surface sites (e.g., TO₂₅, Dh₅₈). For all cases considered, we calculated the general coordination number (GCN), a quantity which establishes a link between geometry, adsorption and activity [26–29]. The GCN can distinguish symmetrically equivalent sites, and it has been recently used to successfully describe O₂ adsorption trends over large (~ 2 nm) supported PtNi clusters [30]. The reader must bear in mind that a fuel cell works under complex electrochemical processes [31]. In particular, a net electric field at the electrode-electrolyte can alter the overall ORR performance. Thus, our work aims at providing a fundamental understanding on molecular O₂ adsorption using a variety of adsorption scenarios on supported PtNi clusters.

2. Methodology

Periodic density functional theory (DFT) calculations are performed using the Quantum Espresso (QE) plane-wave implementation code [32]. The Perdew-Burke-Ernzerhof (PBE) exchange-correlation (xc) functional was used along with a combination of ultrasoft pseudopotentials to describe Pt (5d⁹6s¹), Ni (3d⁹4s¹), Mg (2p⁶3s¹3p^{0.75}) and O (2s²2p⁴) atoms [33–35]. A kinetic energy for wave-functions and charge density cutoff of 45 and 360 Ry, respectively, is used. To improve SCF convergence, a Marzari-Vanderbilt smearing value of 0.001 Ry is used. All DFT calculations have been

performed spin-polarised. The pristine MgO(100) surface is modelled using a (6×6) three atomic layer slab, using the calculated PBE bulk lattice constant of 4.238 Å. Although our value is slightly larger than the experimental value of 4.21 Å, it is in close agreement with calculated PBE values (4.26 Å and 4.30 Å) and hybrid (PBE0) functionals (4.21 Å) [36,37]. The MgO(100) substrate has been considered on the basis that it is often used in experiments, and it is a well-characterized and rigid substrate, which strongly interacts with a metallic cluster. Its checkerboard (100) surface allows us to analyse any effects between flat and corrugated cluster/oxide interfaces. The size of the supercell considered ($17.9803 \text{ Å} \times 17.9803 \text{ Å} \times 29.2380 \text{ Å}$) provides a sufficiently large vacuum region necessary to avoid any spurious interactions between neighbouring periodic images. Due to the large size of the oxide slab and overall supercell, the Brillouin zone was sampled at the Γ -point only. The inclusion of van der Waals effects is accounted for via an empirical dispersion correction on the PBE functional (DFT+D), which includes a pairwise addition C_6/R^6 correction term [38]. The effect of London dispersion forces is checked via DFT+D single-point calculations on the supported clusters' relaxed configurations.

O₂ adsorption is studied at different sites on four different structural models, as highlighted in Figure 1: truncated octahedra (TO), cuboctahedra (CO), icosahedra (Ih) and decahedra (Dh), with supported metal cluster sizes ranging from 25 up to 58 atoms. Besides the shape and size effects, we considered clusters to be either in contact with their (100) and (111) facets to the oxide substrate, in such a way as to estimate the contribution from the strain due to a mismatch with the oxide surface. Similar structural models have been recently used in a force-field parametrisation describing the interaction between Pt clusters and the MgO(100) substrate via classical molecular dynamics (MD) simulations [39]. In our work, supported PtNi clusters display a deliberate Pt_{shell}Ni_{core} chemical arrangement. Depending on size and geometry, some Ni atoms can occupy surface sites, such as clusters Pt₂₀Ni₅(TO)₁₀₀, Pt₂₁Ni₁₂(Ih)₁₁₁, and Pt₄₇Ni₁₁(Dh)₁₁₁. After construction in the gas-phase, the metal clusters are subsequently placed over the MgO(100) substrate, maximising the number of metal–oxygen (M–O) bonds. Each structure is initially positioned in such a way that the shortest height from the substrate is at least $\sim 2 \text{ Å}$. This takes into account the calculated optimal distance for Pt and Ni atoms (1.985 Å and 1.796 Å) above one oxygen atom of the oxide surface. We must stress that the considered supported PtNi, Pt and Ni clusters—though locally DFT-relaxed—may not correspond to the lowest energy isomer as no global optimizations were carried out. However, they act as geometrical scenarios to understand O₂ adsorption properties over a variety of distinct sites within the supported clusters.




Figure 1. Structural models of PtNi, Pt and Ni clusters supported on MgO(100) used to study O₂ adsorption. Geometries range from: truncated octahedra (TO), cuboctahedral (CO), icosahedra (Ih) and decahedra (Dh). Two different cluster/oxide interfaces are considered; namely (100) and (111) cluster epitaxies.

3. Energetic Analysis

Adsorption energies (E_{ads}) are calculated as total energy differences between the interacting configuration ($E_{cluster+O_2/MgO}$), the bare (relaxed) supported cluster ($E_{cluster/MgO}$), and the O_2 molecule in the gas-phase:

$$E_{ads} = -(E_{cluster+O_2/MgO} - E_{cluster/MgO} - E_{O_2,gas-phase}), \quad (1)$$

where positive E_{ads} values indicate an exothermic O_2 adsorption. A geometrical characterisation of the O_2 adsorption site is done using the generalized coordination number (GCN). Introduced by Sautet and co-workers for monometallic Pt systems, the GCN is a geometrical descriptor as robust as the d -band center, which establishes a direct link between geometry, adsorption map and activity [26–29]. The GCN can be defined as the coordination number at the adsorption site weighted by the overall coordination of the neighbouring atoms:

$$GCN(i) = \sum_{j=1}^{n_i} CN(j) / CN_{max}, \quad (2)$$

where the sum runs over all neighbouring atoms n_i of the atom i of a given site. Then, each neighbour is weighted, according to its coordination number, divided by the maximum coordination number of the adsorption site. We kept $CN_{max} = 18$ as the O_2 molecule is adsorbed, on the majority of cases, at a bridge site (on top of two metallic atoms), as done recently for larger supported PtNi clusters [30]. When the O_2 molecule is adsorbed at the cluster's FCC (face-centered cubic) and HCP (hexagonal close packing) sites, it is technically sharing a bond to three metallic atoms, both molecularly or dissociatively adsorbed, as it implies having the O_2 molecule over a hollow site at one of the cluster's facets. Thus, the same CN_{max} value is used in order to make all calculated GNC values comparable. The threshold distances for the monometallic cases correspond to the calculated Pt and Ni bulk lattice values (2.812 Å and 2.487 Å, respectively). For the PtNi case, we considered the Pt_3Ni phase experimental bulk value (2.718 Å) [40]. This is due to the fact that it has been experimentally reported that Pt_3Ni bulk alloy has an ordered FCC lattice. However, it has a random occupation of platinum and nickel according to the stoichiometry, thus making it difficult to calculate a DFT bulk value [41]. For all cases, a ± 0.3 Å lower and upper bound range to the threshold value is considered, to take into account any bond length distortions suffered upon O_2 adsorption by those metal atoms located at both cluster core/shell sites.

We further quantified the supported PtNi, Pt and Ni clusters' core and shell strain. This quantity is calculated as the percentage difference between the average nearest-neighbour (NN) distance—for those atoms occupying core (d_{NN}^c) and shell (d_{NN}^s) positions—with respect to previously mentioned Pt, Ni and PtNi threshold distances (d_{NN}^t). Thus, negative values in Equation (3) indicate a compressive strain felt by the cluster:

$$s_{core} = \frac{d_{NN}^c - d_{NN}^t}{d_{NN}^t} \times 100, \quad (3)$$

$$s_{shell} = \frac{d_{NN}^s - d_{NN}^t}{d_{NN}^t} \times 100.$$

4. Results and Discussion

4.1. O_2 Adsorption Trends on Supported PtNi Nanoparticles

Initially, the O_2 molecule is placed horizontally towards the cluster surface, bridging between two metal atoms, as it has been highlighted in recent theoretical studies as the preferred adsorption configuration [42–44]. Five different O_2 adsorption sites are considered for those supported PtNi clusters involving TO and CO geometries: (1) “along edge(111)/(111)”; (2) “along edge(111)/(100)”; (3) “between edge (111)/(100)” as well as (4) “FCC” and (5) “HCP” sites (see Figure 2). For the

Dh and Ih geometries, O₂ adsorption sites involve 5-fold vertices (“vertex 5-fold”, “vertex lateral”), cluster re-entrances (“Re-entrance”), sites involving a cluster edge (“along edge (111)/(100)”) and those sites located at the small (111) surfaces within the cluster not involving a 5-fold vertex (“no vertex—(111) facet”), as shown in Figure 3. Similarly, O₂ adsorption is studied on the monometallic Pt and Ni counterparts (see Figures S1–S4, in Supplementary Materials).

Our results showed that, for supported PtNi clusters, the strongest calculated E_{ads} values for TO and CO configurations are located along the cluster edges. In particular, when O₂ is adsorbed at the “along edge (111)/(111)”, “along edge (111)/(100)” and “between edge (111)/(100)” sites, calculated E_{ads} values range from 0.75 eV up to 1.94 eV. Strong E_{ads} values—ranging from 0.91 eV up to 1.97 eV—are also reported for the Dh and Ih configurations, for most of the adsorption sites involving vertices and edges: “vertex 5-fold”, “vertex-lateral”, “along edge (111)/(100)” and “re-entrances”. Weak E_{ads} values are obtained when O₂ is adsorbed in a small, cluster (111) facet involving a Pt₄₅Ni₁₃ (Ih)₁₁₁ cluster—such as in the “no vertex—(111) facet” site—at 0.56 eV. Weaker adsorption trends are found for the TO and CO clusters involving the FCC and HCP, with E_{ads} values, ranging from 0.18 up to 0.64 eV for molecular O₂ adsorption. We must point out that we also observe spontaneous O₂ dissociation, when one of the O atoms is in contact with an Ni atom located at the cluster surface involving both FCC and HCP sites, such as in the Pt₂₀Ni₅ (TO)₁₀₀ cluster (see Figure 2). Other structures involving a dissociated O₂ molecule are: Pt₃₂Ni₆ (TO)₁₀₀ (FCC site), Pt₄₂Ni₁₃ (CO)₁₀₀ (FCC site), as well as Pt₄₂Ni₁₃ (CO)₁₁₁ (HCP site).




Figure 2. O₂ adsorption sites considered for supported PtNi clusters involving TO and CO geometries, in the size range 25–55 atoms. A distinction is made if the cluster is in contact with the substrate via one of its (111) or (100) facets. E_{ads} values are displayed in eV, and dispersion corrected (DFT-D) values are shown in brackets. An asterisk (*) indicates those configurations where spontaneous O₂ dissociation occurred during PBE-based relaxations. The corresponding generalized coordination number (GCN) value at the adsorption site is provided in bold. Colour labelling: light grey (Pt), orange (Ni), green (Mg) and red (O).




Figure 3. O₂ adsorption sites considered for supported PtNi clusters involving Ih and Dh geometries, in the size range 33–58 atoms. The cluster/oxide interface involves the supported clusters (111) facets. E_{ads} values are displayed in eV, while dispersion corrected (DFT-D) values are shown in brackets. The corresponding GCN value at the adsorption site is provided in bold. Colour labelling: light grey (Pt), orange (Ni), green (Mg) and red (O).

For monometallic Pt supported clusters, similar adsorption trends are observed. For the TO and CO geometries, E_{ads} values range from 0.85 up to 1.59 eV for those O₂ sites involving cluster edges. Again, FCC and HCP sites have the weakest E_{ads} values (0.42 to 0.86 eV) for O₂ molecular adsorption, where spontaneous O₂ adsorption is also observed on Pt₃₈ and Pt₅₅ clusters. For the Ih and Dh geometries, E_{ads} values on edges and vertices range from 0.50 up to 1.71 eV, while adsorption at the (111) facets clearly involves weaker adsorption energies (0.34–1.21 eV) (see Figures S1 and S2, in Supplementary Materials). However, molecular O₂ interaction with supported Ni clusters edges is stronger, compared to both supported Pt and PtNi clusters, with overall values of the order of 1.52 up to 2.51 eV. The strong adsorption energy values can be attributed to a larger electronegativity difference between the O and Ni atoms, compared to Pt ones (O = 3.44, Pt = 2.28, Ni = 1.91, Mg = 1.31 in the Pauling scale, respectively). Interestingly, the O₂ molecule is also found to spontaneously dissociate on both FCC and HCP sites of both TO and CO geometries. Regarding Ih and Dh configurations, vertex sites are found to have the strongest O₂ adsorption values (1.88 up to 2.51 eV), while the weakest are found on the supported Ni (111) facets (1.54 up to 1.83 eV), as shown in Figures S3 and S4, in Supplementary Materials.

An O₂ adsorption map is constructed for all the different adsorption sites for supported PtNi, Pt and Ni clusters (see Figure 4). Figure 4 includes calculated (PBE) reference values for the O₂ adsorption on the flat Pt(111) surface (0.46–0.86 eV) [43,45–47], including experimental values (0.4–0.5 eV) [48,49] as well as for those for the stepped Pt(321) surface (1.23 to 1.56 eV) [50]. Values for PtNi gas-phase clusters O₂ adsorption (0.5–2.5 eV) [24] are also highlighted by dashed green lines. We identify four adsorption sites having E_{ads} values resembling those of the Pt(111) surface: FCC, HCP, “no vertex—(111) facet”, as well as “vertex lateral”. From Figure 4, it is clear that weak O₂ E_{ads} values, lower than 0.5 eV, are found namely for FCC and HCP sites, involving mostly CO and TO structures’ (111) facets.




Figure 4. Adsorption map involving all the different O_2 adsorption sites for supported PtNi, Pt and Ni clusters. DFT (PBE) reference values are included for O_2 adsorption on the flat Pt(111) surface (0.46–0.86 eV) [43,45–47], including experimental values (0.4–0.5 eV) [48,49], as well as for those for the stepped Pt(321) surface (1.23 to 1.56 eV) [50]. PtNi gas-phase clusters' O_2 adsorption value range (0.5–2.5 eV) [24] is highlighted by dashed green lines. Colour circles labelling: black (Pt), orange (Ni), blue (PtNi).

The relevance of (111) facets on metal clusters as candidates for low-barrier O_2 dissociation has been recently discussed for pure Pt truncated octahedral (TO) gas-phase clusters at atom sizes 38, 79 and 116 by Jennings and co-workers [43,51]. In their work, sites involving the edge-bridge site between the (111) and (100) facets are reported as the most stable for O_2 adsorption on both pure Pt_{38} and bimetallic $Pt_{32}Ti_6$ clusters (2.01 and 1.76 eV, respectively). Moreover, O_2 adsorption energy values are also competitive on FCC and HCP sites over pure Pt_{38} (1.79 and 1.84 eV). These values are stronger compared to the same FCC/HCP sites on the $Pt_{32}Ti_6$, core-shell bimetallic cluster (0.38 and 0.74 eV). Although it is expected that oxygen dissociation will occur preferentially at sites with the strongest E_{ads} values—where O_2 is most likely to adsorb on the cluster—they reported near barrier-free dissociation at the (111) facet of the pure Pt_{38} cluster, namely involving the hollow FCC/HCP (0.00 and 0.04 eV) sites. Larger barriers were found for the bimetallic case involving those same FCC/HCP adsorption sites (0.62 and 0.34 eV). This behaviour was explained due to an easily distorted Pt(111) facet—namely via the central Pt atom—facilitating O_2 dissociation, while an increase in the rigidity of the (111) facet in the bimetallic case was due to Ti-alloying at core lead to larger dissociation barriers. For larger TO_{79} particles [43], it was reported that only those hollow sites close to the edges of the (111) facet facilitate O_2 dissociation, with similar adsorption and dissociation trends observed for the larger 116-atom truncated octahedron clusters [51]. Overall, it was reported that the rigidity of the small (111) cluster surface tends to decrease for 3d metals from the 4–8 group (Ti to Fe). Similar distortions as of the pure Pt cluster were reported for groups 10–12 (Ni, Cu and Zn) [52], our calculations being in good agreement with the previous adsorption trends. We must also highlight that recent experimental and theoretical work by Huang and co-workers have showed a promising catalytic activity and durability by Mo-doped supported Pt_3Ni octahedra nanoparticles towards the ORR [53]. In their work, theoretical calculations indicate that Mo-doping may increase the oxygen binding energies at sites closer to the center of the (111) facet of the nanoparticle, which bind oxygen too weakly. This type of nanoparticle surface engineering could lead to further improvements to the catalytic activity of the Pt_3Ni system.

Based on our calculated E_{ads} values, molecular O_2 adsorption trends for supported PtNi, Pt and Ni clusters can be further understood in terms of their surface coordination chemistry. Thus, each adsorption site was assigned a GCN value (see Figure 5a). GCN values establish a direct link between geometry and the adsorption map, despite the size, shape and composition of the supported clusters [26–30]. From Figure 5a, it is clear that those adsorption sites having the largest GCN value correspond to namely the FCC and HCP sites (>6), while smaller GCN values (<5) are calculated to sites involving clusters' edges and vertices (see calculated GCN values in Tables S1–S3, in Supplementary Materials). We have also plotted the corresponding GCN values as a function of the calculated E_{ads} , as shown in Figure 5b. Despite the ubiquitous differences in cluster sizes and geometries, calculated GCN values show for PtNi supported clusters an overall linear fit relationship. Thus, as the GCN value increases, a reduction on the E_{ads} values is seen, particularly above a GCN > 8 , where most of the calculated values involve FCC and HCP sites. Concomitantly, the strongest E_{ads} values (>0.64 eV and above) can be found at cluster edge sites, such as along edges (111)/(111) sites, where GCNs between 4 and 5 are calculated. For supported Pt clusters, a similar trend on calculated GCN values is observed (Figure 5b). However, the slope of the linear fit is less pronounced, compared to supported PtNi clusters, due to elemental differences between the mono- and bi-metallic system. Figure 5a,b value dispersion can be understood due to drastic changes in the Pt–Pt bond lengths at the adsorption site, as both PtNi and Pt clusters try to accommodate the incoming O_2 molecule, thus directly effecting the GCN at the adsorption site (see Figure 6a). On the other hand, supported Ni clusters strongly interact with the adsorbed O_2 molecule in the GCN value range of 4 to 6, with spontaneous O_2 dissociation seen at those FCC/HCP sites located on the Ni cluster (111) facets, having GCN values > 8 . Nonetheless, no clear linear trend for Ni clusters is observed from Figure 5a at the cluster sizes considered. Regarding the O_2 molecule, an O–O bond length value clustering around ~ 1.42 Å can be observed for Ni values—not including those dissociated configurations—compared to more dispersed PtNi and Pt values (Figure 6b) and our calculated DFT gas-phase value (1.23 Å).




Figure 5. (a) Calculated GCN values plotted as a function of all inequivalent sites—after O_2 adsorption—on PtNi (blue), Pt (black) and Ni (orange) supported clusters; (b) Calculated O_2 adsorption energies (E_{ads}) PBE values plotted as a function of the generalized coordination number (GCN).

Figure 6c,d shows both the calculated core and shell supported PtNi, Pt and Ni cluster strain, as it has been recently shown a direct link between the NP reactivity and its compressive strain, particularly in bimetallic cases [8,44,54]. The most dramatic effects are observed for supported PtNi as they are characterised by a large core compressive strain (between -4% and -10%). This is mostly due to the fact that the outer Pt atom layer needs to form chemical bonds with internal Ni atoms. Supported monometallic Pt clusters have a milder compression percentage, between -2% and -6% . However,

supported Ni clusters may show a tensile strain, such as the $\text{TO}_{25}(100)$ structure. The supported $\text{TO}_{25}(100)$ cluster has 12 Ni atoms at the cluster/oxide interface, who need to match 12 O surface sites. Having the latter an average interface bond lengths of 2.52 Å, compared to the average Ni–Ni cluster bond length of 2.45 Å, it thus enlarges the Ni–Ni cluster core distances, thus leading to overall positive core strain values. Regarding shell strain, we observe that the calculated values for supported PtNi, Pt and Ni clusters are rather small, no larger than -4% , with the outer layer not greatly affected by the internal cluster strain.




Figure 6. Structural analysis of all O_2 adsorption sites on supported PtNi, Pt, Ni clusters, displaying calculated E_{ads} values (eV) as function of: (a) the metal–metal (M–M) bond length at the adsorption site; (b) the O_2 molecule bond length; (c,d) cluster core and shell strain; (e) calculated cluster Bader charge transfer (both strongest and weakest adsorption sites); and (f) the cluster surface roughness.

A charge transfer Bader analysis is performed for supported PtNi, Pt and Ni clusters at the “strongest” and “weakest” calculated O_2 adsorption sites (see Figure 6e). In particular, Figure 6e displays the amount of charge on the O_2 molecule. Overall, the O_2 molecule withdraws a small amount of charge ($\sim 0.35 \text{ e}^-$) per O atom in contact with PtNi and Pt sites. A slightly larger amount of charge is withdrawn for Ni ($\sim 0.5 \text{ e}^-$), in line with the larger E_{ads} values calculated for Ni clusters. This excess of charge on the O_2 molecule creates a metal–superoxo ($\text{M}-\text{O}_2^-$) type intermediate (one electron transferred) [42]. Charge transfer is in line with both O (3.44), Pt (2.28), Ni (1.91), and Mg (1.31) Pauling electronegativities. As a general trend, our calculations indicate that the amount of charge transferred from the support to the supported clusters varies as a function of interfacial metal atoms (number of contact O surface sites), with less charge being transferred from the substrate to Ni clusters, compared to Pt and PtNi clusters.

At the cluster/oxide interface, we observe a modest tendency of supported PtNi clusters to reduce the overall roughness of the (100) and (111) interface layers (see Figure 6f). The Pt metal–metal (M–M) bond lengths—of all those interfacial PtNi cluster layers in direct contact with the oxide surface—are

slightly larger (~ 2.76 Å), compared to the average M–M bond lengths of all PtNi clusters (~ 2.65 Å). This is in line with those elongations observed for the M–M distances at the interface of monometallic Pt and Ni clusters (~ 2.77 Å and ~ 2.56 Å, respectively), compared to the overall cluster bond length average (Pt ~ 2.72 Å and Ni ~ 2.45 Å). These elongations can be understood as the metal atoms located at the cluster/oxide interface try to match those O_{surface} atoms (average $O_{\text{surface}}-O_{\text{surface}}$ distance ~ 2.99 Å). Even though weaker E_{ads} values are calculated for TO and CO clusters in contact with the oxide through their large (100) facets at low roughness (less than 0.1%), the dispersion of the overall values is too wide to provide any conclusive analysis on a strong MgO oxide substrate effect on the calculated E_{ads} values. This suggests a rather “inert” nature of the MgO(100) substrate, with the metal cluster chemistry at the adsorption site ruling O_2 E_{ads} values. Our calculations seem to indicate that the main role of the MgO(100) support is thus to provide an “anchor” point for the cluster, on both (100) and (111) interfaces, and, to a lesser extent, to facilitate charge being transferred to the supported cluster (which eventually is redistributed among the cluster and O_2 molecule). One could envisage different cluster/oxide interfaces that could promote the controlled preparation of supported PtNi clusters grow in size, where tailored O_2 adsorption (and eventual dissociation) can take place [30].

From an electronic point of view, the d -band center model can be also used to analyze O_2 adsorption. With ϵ_d positioned lower (higher) with respect to the Fermi energy describing weaker (stronger) interactions, Figure 7 shows the calculated ϵ_d plotted against the calculated E_{ads} values for those strongly/weakly bound adsorption sites (see calculated values in Tables S4, in Supplementary Materials). Overall, we observe that the ϵ_d values from the strongest adsorption sites are positioned on an energy window between -2.80 eV and -3.84 eV, while ϵ_d are slightly shifted to lower values for the weakest configurations (-2.67 to -4.04 eV). For the weakest sites, the lowest ϵ_d values (position ~ -4 eV) are caused primarily by the Pt atoms located at the central (111) facets of TO structures and the least coordinated Pt atoms for CO configurations. While the d -band center model adsorption trend is followed for the weakest sites—despite involving some configurations with a dissociated O_2 molecule—this is not the case for the strongest sites, where the trend is not so linear anymore. Comparisons between different PtNi clusters are remarkably difficult due to the size range considered and the variety of cluster geometries, including the wide range of their compressive strain. Thus, our calculations indicate that it is not straightforward to adopt the d -band center model for supported bimetallic cluster systems—with a few tens of atoms—where interatomic distortions are induced by alloying play a significant role.




Figure 7. Calculated average d -band center values (ϵ_d) for all supported PtNi clusters (25 to 58 atoms), for the strongest (a) and weakest (b), namely FCC O_2 adsorption sites, plotted as a function of E_{ads} (eV) values. The red line represents the best linear fitting, while blue empty dots refer to those values calculated for dissociated O_2 configurations.

4.2. Inclusion of van der Waals Corrections

Finally, we would like to comment on how London dispersion forces (DFT-D) may affect the overall O_2 adsorption picture. The inclusion of the DFT-D semi-empirical dispersion correction on the calculated PBE values via single-point (SCF) calculations have, in most cases, modestly increased

the calculated E_{ads} values. In general, predicted PBE energetic ordering between adsorption sites was preserved, with only a minor energetic rearrangement among those adsorption sites where adsorption is the strongest. DFT+D relaxations were also performed for the different adsorption sites, only for the supported Pt₂₅, Ni₂₅ and Pt₂₀Ni₅ (TO)₁₀₀ structures, confirming an overall preference for strong O₂ adsorption at edge sites, such as (100)/(111) and (111)/(111). For supported PtNi clusters, DFT+D relaxations predict the along edge (111)/(100) site as the strongest O₂ adsorption site (1.62 eV), closely followed by along edge (111)/(111) site (1.47 eV), just as the PBE energetic ordering. Similar gains in energy are calculated for the FCC and HCP sites. For the Pt clusters, the strongest O₂ adsorption site is now the along edge (111)/(100), instead of the predicted PBE along edge (111)/(111) at 1.96 eV. Being now the O₂ molecule at close proximity to the oxide surface (2.99 Å), DFT+D is able to capture a stronger overlap between the electron orbitals of the O₂ molecule and those of the oxide surface. This results in an E_{ads} increase up to 1.96 eV, from the 1.38 eV single-point (DFT+D) calculation, an increase also calculated for the between edge (111)/(100) site, from 1.67 to 1.71 eV. Analogous trends are observed for Ni clusters, where along edge (111)/(100) site remains as the one having the largest E_{ads} value (2.55 eV), while marginal gains are calculated for sites along edge (111)/(111) and between edge (111)/(100) (2.25 and 1.79 eV, respectively).

5. Conclusions

Our calculations show that O₂ adsorption on supported PtNi, Pt and Ni clusters—at the sub-nanometer 25–58 atoms size range—is a rather complex case, due to the fact that the overall electronic structure and geometrical properties are deeply intertwined, directly affecting the calculated E_{ads} values.

We observe that O₂ adsorption is regulated by two distinct groups of adsorption sites, where: (a) the strongest E_{ads} values are calculated at cluster edges (above 1 eV), such as the along edge (111)/(111) and (111)/(100) as well as the between edge (111)/(100) sites, which tend to have a low GCN value (<6); and (b) the FCC and HCP sites, where the weakest E_{ads} values (less than 0.64 eV) are calculated, involving GCN values >8, which resemble those O₂ adsorption energies of the flat Pt(111) surface. Calculated *d*-band center positions for those Pt atoms weakly (strongly) binding with the O₂ adsorbate-molecularly or dissociatively—are located at lower (higher) energies with respect to the Fermi level. From the supported PtNi cluster sizes considered in this work, it may be difficult to extend the *d*-band model to such small, and finite chemical systems, where distortions to the interatomic distances and the strain associated to them play a fundamental rule in the calculated E_{ads} values. Our calculations seems to indicate that the generalized coordination number (GCN) is a more robust reactivity descriptor even at the supported cluster sizes considered. Although Pt and Ni atoms have a strong mismatch, we kept the simplest GCN implementation, without any particular weighting in order to distinguish both atoms, as we have recently shown that the effect is almost negligible and none of those provide a better understanding of the physics of our systems [30]. Overall, the robustness of the GCN arises from the fact that is a purely geometrical descriptor, very sensitive to the deformation induced by metal alloying and by the environment (e.g., strain epitaxy due to the considered substrate).

Finally, our results provide—as far as we are concerned—the first O₂ adsorption map across a wide range of bimetallic (PtNi), and monometallic (Pt) and (Ni) supported clusters. This is done over a wide size range (25–58 atoms) and considering eight different geometries, each of which involve five different adsorption sites, with two types of cluster/oxide interfaces—namely (100) and (111)—considered as they may determine different supported cluster core/shell strains. Developing clear O₂ adsorption trends on supported metal clusters can provide a deeper understanding of potential adsorption sites to target low-barrier O₂ dissociation, following the Sabatier principle. This will imply that the best catalysts should be the ones that bind both atoms and molecules not too weakly nor too strongly, in order to activate the reactants and to efficiently desorb the products [55]. We show that it is theoretically possible to construct supported core-shell systems, where the core of the nanoparticle

(cluster) is made of a cheaper metal (Ni) compared to a more expensive metal on the shell (Pt). This not only reduces the amount of Pt-loading by alloying, but preserves the Pt chemistry at a mere 1 atomic-layer Pt-shell, where O₂ adsorption process can occur, with calculated E_{ads} values of the order of those seen for a full monometallic Pt nanoparticle and bulk Pt(111) surface. Having systematically analysed the effects of O₂ adsorption over supported over mono (Pt, Ni) and bimetallic (PtNi) clusters (<1 nm), we foresee that a potential tailoring of physico-chemical properties and a rational novel metal nanocatalysts design will ultimately depend on a synergistic combination of controlled NP preparation methods (such as size, geometric and segregation effects) and a profound knowledge of the complex cluster/oxide interface.

Supplementary Materials: The following are available online at <http://www.mdpi.com/2304-6740/5/3/43/s1>, Figure S1: O₂ adsorption sites considered for supported Pt clusters in the size range 25–55 atoms, involving truncated octahedral (TO) and cuboctahedral (CO) geometries, Figure S2: O₂ adsorption sites considered for supported Pt clusters in the size range 33–58 atoms, involving icosahedral (Ih) and decahedral (Dh) geometries, Figure S3: O₂ adsorption sites considered for supported Pt clusters in the size range 25–55 atoms, involving truncated octahedral (TO) and cuboctahedral (CO) geometries, Figure S4: O₂ adsorption sites considered for supported Pt clusters in the size range 33–58 atoms, involving icosahedral (Ih) and decahedral (Dh) geometries; Table S1: Structural properties of supported PtNi clusters upon molecular O₂ adsorption at all the different inequivalent sites considered in this work, Table S2: Structural properties of supported Pt clusters upon molecular O₂ adsorption at all the different inequivalent sites considered in this work, Table S3: Structural properties of supported Ni clusters upon molecular O₂ adsorption at all the different inequivalent sites considered in this work, Table S4: Calculated average d-band center of supported PtNi clusters on MgO(100) upon O₂ adsorption.

Acknowledgments: This work has been supported by the UK Engineering and Physical Sciences Research Council (EPSRC) under the Critical Mass “TOwards an Understanding of CATalysis on Nanoalloys” (TOUCAN) project, grant No. EP/J010812/1. Francesca Baletto benefited from the financial support of the EPSRC, under Grant No. EP/G003146/1 and the Royal Society grant No. RG120207. Lauro Oliver Paz-Borbón is thankful for the financial support from the Universidad Nacional Autónoma de México, Dirección General Asuntos del Personal Académico (DGAPA-UNAM), under Project IA102716. Density Functional Theory (DFT) calculations have been performed on the ARCHER (Cray XC30 system), at the UK’s National High-Performance Computing (HPC) Facility; as well as at Dirección General de Cómputo y de Tecnologías de Información y Comunicación (DGTIC-UNAM), through SC16-1-IG-78, SC15-1-IG-82 and LANCAD-UNAM-DGTIC-307 grants.

Author Contributions: Francesca Baletto conceived and designed the calculations; Lauro Oliver Paz-Borbón performed the calculations and analysed the data; Francesca Baletto and Lauro Oliver Paz-Borbón wrote the paper. Lauro Oliver Paz-Borbón drew the figures and compiled the Supplementary Materials.

Conflicts of Interest: The authors declare no conflict of interest.

References

1. Steele, B.C.H.; Heinzel, A. Materials for Fuel-Cell Technologies. *Nature* **2001**, *414*, 345–352.
2. Yamada, T.; Sadakiyo, M.; Shigematsu, A.; Kitagawa, H. Proton-Conductive Metal–Organic Frameworks. *Bull. Chem. Soc. Jpn.* **2016**, *89*, 1–10.
3. Meng, X.; Wang, H.-N.; Song, S.-Y.; Zhang, H.-J. Proton-Conducting Crystalline Porous Materials. *Chem. Soc. Rev.* **2017**, *46*, 464–480.
4. Sakaushi, K.; Antonietti, M. Carbon- and Nitrogen-Based Porous Solids: A Recently Emerging Class of Materials. *Bull. Chem. Soc. Jpn.* **2015**, *88*, 386–398.
5. Shao, M.; Chang, Q.; Dodelet, J.-P.; Chenitz, R. Recent Advances in Electrocatalysts for Oxygen Reduction Reaction. *Chem. Rev.* **2016**, *116*, 3594–3657.
6. Debe, M.K. Electrocatalyst Approaches and Challenges for Automotive Fuel Cells. *Nature* **2012**, *486*, 43–51.
7. Greeley, J.; Stephens, I.E.L.; Bondarenko, A.S.; Johansson, T.P.; Hansen, H.A.; Jaramillo, T.F.; Rossmeisl, J.; Chorkendorff, I.; Nørskov, J.K. Alloys of Platinum and Early Transition Metals as Oxygen Reduction Electrocatalysts. *Nat. Chem.* **2009**, *1*, 552–556.
8. Strasser, P.; Koh, S.; Anniyev, T.; Greeley, J.; More, K.; Yu, C.; Liu, Z.; Kaya, S.; Nordlund, D.; Ogasawara, H.; et al. Lattice-Strain Control of the Activity in Dealloyed Core–Shell Fuel Cell Catalysts. *Nat. Chem.* **2010**, *2*, 454–460.
9. Stamenkovic, V.R.; Mun, B.S.; Arenz, M.; Mayrhofer, K.J.J.; Lucas, C.A.; Wang, G.; Ross, P.N.; Marković, N.M. Trends in Electrocatalysis on Extended and Nanoscale Pt-Bimetallic Alloy Surfaces. *Nat. Mater.* **2007**, *6*, 241–247.

10. Gasteiger, H.A.; Kocha, S.S.; Sompalli, B.; Wagner, F.T. Activity Benchmarks and Requirements for Pt, Pt-alloy, and non-Pt Oxygen Reduction Catalysts for PEMFCs. *Appl. Catal. B Environ.* **2005**, *56*, 9–35.
11. Stamenkovic, V.R.; Fowler, B.; Mun, B.S.; Wang, G.; Ross, P.N.; Lucas, C.A.; Marković, N.M. Improved Oxygen Reduction Activity on Pt₃Ni(111) via Increased Surface Site Availability. *Science* **2007**, *315*, 493–497.
12. Strasser, P. Catalysts by Platonic Design. *Science* **2015**, *349*, 379–380.
13. Carpenter, M.K.; Moylan, T.E.; Kukreja, R.S.; Atwan, M.H.; Tessema, M.M. Solvothermal Synthesis of Platinum Alloy Nanoparticles for Oxygen Reduction Electrocatalysis. *J. Am. Chem. Soc.* **2012**, *134*, 8535–8542.
14. Cui, C.; Gan, L.; Heggen, M.; Rudi, S.; Strasser, P. Compositional Segregation in Shaped Pt Alloy Nanoparticles and Their Structural Behaviour During Electrocatalysis. *Nat. Mater.* **2013**, *12*, 765–771.
15. Choi, S.-I.; Shao, M.; Lu, N.; Ruditskiy, A.; Peng, H.-C.; Park, J.; Guerrero, S.; Wang, J.; Kim, M.J.; Xia, Y. Synthesis and Characterization of Pd@Pt–Ni Core–Shell Octahedra with High Activity toward Oxygen Reduction. *ACS Nano* **2014**, *8*, 10363–10371.
16. Choi, S.-I.; Xie, S.; Shao, M.; Odell, J.H.; Lu, N.; Peng, H.-C.; Protsailo, L.; Guerrero, S.; Park, J.; Xia, X.; et al. Synthesis and Characterization of 9 nm Pt–Ni Octahedra with a Record High Activity of 3.3 A/mg_{Pt} for the Oxygen Reduction Reaction. *Nano Lett.* **2013**, *13*, 3420–3425.
17. Cui, C.; Gan, L.; Li, H.-H.; Yu, S.-H.; Heggen, M.; Strasser, P. Octahedral PtNi Nanoparticle Catalysts: Exceptional Oxygen Reduction Activity by Tuning the Alloy Particle Surface Composition. *Nano Lett.* **2012**, *12*, 5885–5889.
18. Huang, X.; Zhao, Z.; Chen, Y.; Zhu, E.; Li, M.; Duan, X.; Huang, Y. A Rational Design of Carbon-Supported Dispersive Pt-based Octahedra as Efficient Oxygen Reduction Reaction Catalysts. *Energy Environ. Sci.* **2014**, *7*, 2957–2962.
19. Zhang, C.; Hwang, S.Y.; Peng, Z. Size-dependent Oxygen Reduction Property of Octahedral Pt–Ni Nanoparticle Electrocatalysts. *J. Mater. Chem. A* **2014**, *2*, 19778–19787.
20. Zhang, C.; Hwang, S.Y.; Trout, A.; Peng, Z. Solid-State Chemistry-Enabled Scalable Production of Octahedral Pt–Ni Alloy Electrocatalyst for Oxygen Reduction Reaction. *J. Am. Chem. Soc.* **2014**, *136*, 7805–7808.
21. Bao, H.; Li, J.; Jiang, L.; Shang, M.; Zhang, S.; Jiang, Z.; Wei, X.; Huang, Y.; Sun, G.; Wang, J.-Q. Structure of Pt_nNi Nanoparticles Electrocatalysts Investigated by X-ray Absorption Spectroscopy. *J. Phys. Chem. C* **2013**, *117*, 20584–20591.
22. Wang, G.; van Hove, M.A.; Ross, P.N.; Baskes, M.I. Monte Carlo Simulations of Segregation in Pt–Ni Catalyst Nanoparticles. *J. Chem. Phys.* **2005**, *122*, 024706.
23. Radillo-Díaz, A.; Coronado, Y.; Pérez, L.; Garzón, I.L. Structural and Electronic Properties of PtPd and PtNi Nanoalloys. *Eur. Phys. J. D* **2009**, *52*, 127–130.
24. Di Paola, C.; Baletto, F. Oxygen Adsorption on Small PtNi Nanoalloys. *Phys. Chem. Chem. Phys.* **2011**, *13*, 7701–7707.
25. Fortunelli, A.; Goddard, W.A., III; Sementa, L.; Barcaro, G.; Negreiros, F.R.; Jaramillo-Botero, A. The Atomistic Origin of the Extraordinary Oxygen Reduction Activity of Pt₃Ni₇ Fuel Cell Catalysts. *Chem. Sci.* **2015**, *6*, 3915–3925.
26. Calle-Vallejo, F.; Sautet, P.; Loffreda, D. Understanding Adsorption-Induced Effects on Platinum Nanoparticles: An Energy-Decomposition Analysis. *J. Phys. Chem. Lett.* **2014**, *5*, 3120–3124.
27. Calle-Vallejo, F.; Martínez, J.I.; García-Lastra, J.M.; Sautet, P.; Loffreda, D. Fast Prediction of Adsorption Properties for Platinum Nanocatalysts with Generalized Coordination Numbers. *Angew. Chem. Int. Ed.* **2014**, *53*, 8316–8319.
28. Calle-Vallejo, F.; Loffreda, D.; Koper, M.T.M.; Sautet, P. Introducing Structural Sensitivity into Adsorption–Energy Scaling Relations by Means of Coordination Numbers. *Nat. Chem.* **2015**, *7*, 403–410.
29. Calle-Vallejo, F.; Tymoczko, J.; Colic, V.; Vu, Q.H.; Pohl, M.D.; Morgenstern, K.; Loffreda, D.; Sautet, P.; Schuhmann, W.; Bandarenka, A.S. Finding Optimal Surface Sites on Heterogeneous Catalysts by Counting Nearest Neighbors. *Science* **2015**, *350*, 185–189.
30. Asara, G.G.; Paz-Borbón, L.O.; Baletto, F. “Get in Touch and Keep in Contact”: Interface Effect on the Oxygen Reduction Reaction (ORR) Activity for Supported PtNi Nanoparticles. *ACS Catal.* **2016**, *6*, 4388–4393.
31. Litster, S.; McLean, G. PEM Fuel Cell Electrodes. *J. Power Sources* **2004**, *130*, 61–76.
32. Giannozzi, P.; Baroni, S.; Bonini, N.; Calandra, M.; Car, R.; Cavazzoni, C.; Ceresoli, D.; Chiarotti, G.L.; Cococcioni, M.; Dabo, M.; et al. QUANTUM ESPRESSO: A Modular and Open-Source Software Project for Quantum Simulations of Materials. *J. Phys. Condens. Matter* **2009**, *21*, 395502.

33. Perdew, J.P.; Burke, K.; Ernzerhof, M. Generalized Gradient Approximation Made Simple. *Phys. Rev. Lett.* **1996**, *77*, 3865–3868.
34. Rappe, A.M.; Rabe, K.M.; Kaxiras, E.; Joannopoulos, J.D. Optimized pseudopotentials. *Phys. Rev. B* **1990**, *41*, 1227–1230.
35. Garrity, K.F.; Bennett, J.W.; Rabe, K.M.; Vanderbilt, D. Pseudopotentials for High-Throughput DFT Calculations. *Comput. Mater. Sci.* **2014**, *81*, 446–452.
36. Broqvist, P.; Grönbeck, H.; Panas, I. Surface Properties of Alkaline Earth Metal Oxides. *Surf. Sci.* **2004**, *554*, 262–271.
37. Paier, J.; Marsman, M.; Hummer, K.; Kresse, G.; Gerber, I.C.; Ángyán, J. Screened Hybrid Density Functionals Applied to Solids. *J. Chem. Phys.* **2006**, *124*, 154709.
38. Grimme, S. Accurate Description of van der Waals Complexes by Density Functional Theory Including Empirical Corrections. *J. Comput. Chem.* **2004**, *25*, 1463–1473.
39. Rossi, K.; Ellaby, T.; Paz-Borbón, L.O.; Atanasov, I.; Pavan, L.; Baletto, F. Melting of Large Pt@MgO(100) Icosahedra. *J. Phys. Condens. Matter* **2017**, *29*, 145402.
40. Engelke, M.J. Local Atomic Arrangements in Ni–Pt: The Bulk and Near-Surface Regimes. Ph.D. Thesis, ETH Zürich, Swiss Federal Institute of Technology, Zurich, Switzerland, 2010.
41. Darlington, M.J.D. Stability of Single Crystal Pt and Pt₃Ni Surfaces During Electro-Oxidation. Ph.D. Thesis, The University of Liverpool, Liverpool, UK, 2014.
42. Li, T.; Balbuena, P.B. Computational Studies of the Interactions of Oxygen with Platinum Clusters. *J. Phys. Chem. B* **2001**, *105*, 9943–9952.
43. Jennings, P.C.; Aleksandrov, H.A.; Neyman, K.M.; Johnston, R.L. A DFT Study of Oxygen Dissociation on Platinum Based Nanoparticles. *Nanoscale* **2014**, *6*, 1153–1165.
44. Shao, M.; Peles, A.; Shoemaker, K. Electrocatalysis on Platinum Nanoparticles: Particle Size Effect on Oxygen Reduction Reaction Activity. *Nano Lett.* **2011**, *11*, 3714–3719.
45. Bocquet, M.-L.; Cerdà, J.; Sautet, P. Transformation of Molecular Oxygen on a Platinum Surface: A theoretical Calculation of STM images. *Phys. Rev. B* **1999**, *59*, 15437–15445.
46. Eichler, A.; Hafner, J. Molecular Precursors in the Dissociative Adsorption of O₂ on Pt(111). *Phys. Rev. Lett.* **1997**, *79*, 4481–4484.
47. McEwen, J.S.; Bray, J.M.; Wuch, C.; Schneider, W.F. How Low Can You Go? Minimum Energy Pathways for O₂ Dissociation on Pt(111). *Phys. Chem. Chem. Phys.* **2012**, *14*, 16677–16685.
48. Gland, J.L.; Sexton, B.A.; Fisher, G.B. Oxygen Interactions with the Pt(111) Surface. *Surf. Sci.* **1980**, *95*, 587–602.
49. Steininger, H.; Lehwald, S.; Ibach, H. Adsorption of Oxygen on Pt(111). *Surf. Sci.* **1982**, *123*, 1–17.
50. Bray, J.M.; Schneider, W.F. Potential Energy Surfaces for Oxygen Adsorption, Dissociation, and Diffusion at the Pt(321) Surface. *Langmuir* **2011**, *27*, 8177.
51. Jennings, P.C.; Aleksandrov, H.A.; Neyman, K.M.; Johnston, R.L. DFT Studies of Oxygen Dissociation on the 116-Atom Platinum Truncated Octahedron Particle. *Phys. Chem. Chem. Phys.* **2014**, *16*, 26539–26545.
52. Jennings, P.C.; Aleksandrov, H.A.; Neyman, K.M.; Johnston, R.L. O₂ Dissociation on M@Pt Core–Shell Particles for 3d, 4d, and 5d Transition Metals. *J. Phys. Chem. C* **2015**, *119*, 11031.
53. Huang, X.; Zhao, Z.; Cao, L.; Chen, Y.; Zhu, E.; Lin, Z.; Li, M.; Yan, A.; Zettl, A.; Morris Wang, Y.; et al. High-Performance Transition Metal-Doped Pt₃Ni Octahedra for Oxygen Reduction Reaction. *Science* **2015**, *348*, 1230–1234.
54. Hernandez-Fernandez, P.; Masini, F.; McCarthy, D.N.; Strebel, C.E.; Friebe, D.; Deiana, D.; Malacrida, P.; Nierhoff, A.; Bodin, A.; Wise, A.M.; et al. Mass-selected Nanoparticles of Pt_xY as Model Catalysts for Oxygen Electrorreduction. *Nat. Chem.* **2014**, *6*, 732–738.
55. Norskov, J.K.; Bligaard, T.; Hvolbaek, B.; Abild-Pedersen, F.; Chorkendorff, I.; Christensen, C.H. The Nature of the Active Site in Heterogeneous Metal Catalysis. *Chem. Soc. Rev.* **2008**, *37*, 2163–2171.

